

tifermec®



- Testate trincianti
- Mulcher
- Mulchköpfe
- Tête de broyage
- Cabezal triturador



- Decespugliatrici
- Flail-hedger mowers
- Böschungsmäher
- Débroussailleuse
- Desbrozadoras







- Tagliasiepi
- Hedge cutters
- Taille haies
- Heckenschneider
- Cortasetos


- Retroescavatori
- Backhoes
- Heckbagger
- Pelle rétro
- Retroexcavadora



IL FUTURO È IL NOSTRO LAVORO

Decespugliatrici • Flail-hedger mowers • Böschungsmäher • Débroussailleuse • Desbrozadoras
serie Green Line • F • G





MODELLO	 mm.	 HP MIN.	 Kg. MIN.	 Kg.
Green Line 270 F	2700	25	800	310
Green Line 300 F	3000	30	1000	350
Green Line 300 G	3000	30	1600	390
Green Line 380 G	3800	35	2000	450



optionals



Tagliasiepi • Hedge cutters • Heckenschneider • Taille haies • Cortasetos
serie TS • TSV


MODELLO	 mm.	 HP MIN.	 Kg. MIN.	 Kg.
TS 260	1200 (Ø max 30 mm.)	20	500	210
TS 370	1600 (Ø max 30 mm.)	30	900	260
TSV 370 VISION	1600 (Ø max 30 mm.)	30	1100	310



SLS
Self Levelling System







optional









Decespugliatrici • Flail-hedger mowers • Böschungsmäher • Débroussailleuse • Desbrozadoras





serie **Dec** • F • L • P • PS • K

MODELLO	 mm.	 HP MIN.	 Kg. MIN.	 Kg.
Dec 430 F	4300	50	2300	600
Dec 480 F	4800	55	2600	660
Dec 450 L	4500	50	2500	660
Dec 500 L	5000	55	2800	710
Dec 500 P	5000	70	3000	1000
Dec 550 P	5500	80	3200	1050
Dec 570 PS	5000 / 5700	80	3200	1100
Dec 650 P	6500	90	3500	1100
Dec 730 PS	6500 / 7300	110	4000	1200
Dec 530 K	5300	90	3500	1140
Dec 600 K	6000	110	4000	1240




MODELLO	 mm.	 HP MIN.	 Kg. MIN.	 Kg.
GEO G 450 L	4500	50	2500	770
GEO G 500 L	5000	55	2800	850
GEO G 550 P	5500	80	3200	1300
GEO G 630 PS	5500 / 6300	90	3500	1400
GEO G 650 P	6500	90	3500	1400
GEO G 730 PS	6500 / 7300	110	4000	1500
GEO GV 450 L VISION	4500	70	3000	850
GEO GV 500 L VISION	5000	70	3200	915
GEO GV 550 P VISION	5500	80	3500	1390
GEO GV 600 P VISION	6000	100	4000	1430
GEO GV 650 P VISION	6500	100	4500	1500
GEO GV 700 P VISION	7000	120	5000	1600



MODELLO	 mm.	 HP MIN.	 Kg. MIN.	 Kg.
Green Line FR 270 F	2700	50	2500	310
Green Line FR 300 F	3000	55	2800	350
Green Line FR 300 G	3000	70	3500	390
Green Line FR 380 G	3800	80	3800	450
Dec FR 430 F	4300	90	4000	600
Dec FR 480 F	4800	90	4200	660
Dec FR 450 L	4500	90	4000	660
Dec FR 500 L	5000	90	4200	710
Dec FR 500 P	5000	180	5800	1000
Dec FR 550 P	5500	180	6200	1050
Dec FR 650 P	6500	200	6500	1100
Dec FR 530 K	5300	180	6000	1140
Dec FR 600 K	6000	200	6500	1240

Front











serie G/L/P/K

- DISPOSITIVO OLEODINAMICO DI SICUREZZA
- HYDRAULIC SAFETY DEVICE
- HYDRAULISCHER SICHERHEITSVORRICHTUNG
- DISPOSITIF HYDRAULIQUE DE SÛRETÉ
- DISPOSITIVO HIDRÁULICO DE SEGURIDAD
















Trinciatrice frontale • Front mulchers • Frontal-Mulchgerät • Broyeur frontal • Trituradora frontal **serie Grisù**

MODELLO	 cm.	 Kg.	 L/min.	 BAR	 N.	 N.	 N.	 N.
GRISÙ 100L MU-K	100	300	55/75	230	10	-	-	03
GRISÙ 130L MU-K	130	340	55/75	230	14	-	-	03
GRISÙ 160L MU-K	160	380	55/75	230	16	-	-	04
GRISÙ 100L MF	100	330	55/75	230	-	18	-	03
GRISÙ 130L MF	130	370	55/75	230	-	24	-	03
GRISÙ 160L MF-P	160	420	55/75	230	-	32	-	04
GRISÙ 100L DF	100	380	55/75	300	-	-	27	03
GRISÙ 130L DF	130	420	55/90	300	-	-	36	03
GRISÙ 160L DF	160	480	70/90	300	-	-	42	04











serie **Tirok**




MODELLO	 Kg.	 cm.	 Kg.	 L/min.	 BAR	 N.	 N.	 N.	 N.	 N.
TIROK 60 LD	2500/3000	60	160	30/40	230	24	10			
TIROK 80 LD	3000/4000	80	180	30/45	230	36	16			
TIROK 100 LD	4000/5000	100	200	40/45	230	40	18			
TIROK 80 LC	4000/5000	80	240	40/60	230	36	16			02
TIROK 100 LC	4000/6000	100	260	40/70	230	40	18			02
TIROK 120 LC	5000/6000	120	280	40/70	230	48	20			02
TIROK 80 P MU-K	6000/8000	80	380	50/80	230		8			03
TIROK 100 P MU-K	7000/9000	100	430	50/80	230		10			03
TIROK 80 P MF	6000/9000	80	430	50/80	230			16		03
TIROK 100 P MF	7000/10000	100	460	50/80	230			18		03
TIROK 80 P DF	8000/9000	80	510	50/80	300				18	03
TIROK 100 P DF	9000/12000	100	540	55/90	300				27	03
TIROK 130 K MU-K	10000/15000	130	590	70/80	230		14			04
TIROK 160 K MU-K	14000/16000	160	630	80/90	230		16			04
TIROK 130 K MF	12000/15000	130	620	70/80	230			26		04
TIROK 160 K MF-P	14000/18000	160	660	80/90	230			32		04
TIROK 130 K DF	14000/16000	130	715	55/90	300				36	04
TIROK 160 K DF	14000/18000	160	750	80/90	300				42	04



Testata trinciante • Mulcher • Mulchkopf • Tête de broyages • Cabezal triturador










serie T

MODELLO	 Kg.	 cm.	 Kg.	 L/min.	 BAR	 N.	 N.	 N.
T 60 GD	1400/2000	60	70	20/30	180	20	10	
T 80 GD	1800/2500	80	80	30	180	28	14	
T 60 GC	1200/2000	60	75	15	180	20	10	01
T 80 GC	1800/2500	80	85	15	180	32	16	01
T 80 L	2500/3500	80	130	40/45	180/200	36	16	
T 100 L	3000/3500	100	145	40/45	180/200	40	18	
T 120 L	3000/3500	120	160	40/45	180/200	48	20	







Testata trinciante • Mulcher • Mulchkopf • Tête de broyages • Cabezal triturador

serie Tirok Twin

MODELLO	 Kg.	 cm.	 Kg.	 L/min.	 BAR	 N.	 N.	 N.	 N.
TIROK TWIN 65 G MU	2800/4000	65	190	35/40	230	10			02
TIROK TWIN 85 G MU	3000/5000	85	200	35/40	230	16			02
TIROK TWIN 85 G MF	3500/5000	85	230	35/50	230		14		02
TIROK TWIN 80 L MU	4000/6000	85	290	50/80	230	16			02
TIROK TWIN 100 L MU	6000/7000	100	330	50/80	230	18			02
TIROK TWIN 80 L MF	4500/7000	85	330	50/80	230		16		03
TIROK TWIN 100 L MF	6000/10000	100	390	50/80	230		18		03
TIROK TWIN 80 L DF	6000/8000	85	390	50/80	300	18			03
TIROK TWIN 100 L DF	7000/10000	100	450	50/80	300	27			03
TIROK TWIN 100 P MF	7000/10000	100	490	70/80	230		18		03
TIROK TWIN 130 P MF	10000/16000	130	520	70/80	230		24		03
TIROK TWIN 100 P DF	8000/13000	100	560	55/90	300			27	04
TIROK TWIN 130 P DF	11000/16000	130	600	80/90	300			36	04



Retroescavatori • Backhoes • Heckbagger • Pelle rétro • Retroexcavadora
 serie **Green Line** • B • BA • L • serie **L** • BA • TX • serie **DIG DIG** • BA • TX •

MODELLO	 mm.	 HP MIN.	 Kg. MIN.	 Kg.
Green Line BA 13	1300	13	650	250
Green Line BA 15	1500	15	750	290
Green Line L 13	1300	13	750	280
Green Line L 15	1500	15	800	300
Green Line L 16	1500	15	850	320
BA 19	1900	18	1000	320
BA 22	2300	20	1100	350
18 TX	1800	18	1300	380
19 TX	1900	18	1400	400
21 TX	2200	22	1500	430
22 TX	2300	22	1600	450
Dig Dig BA 55	2200	30	1700	490
Dig Dig BA 65	2600	35	2300	540
Dig Dig 50 TX	2100	30	1900	550
Dig Dig 55 TX	2200	30	1900	570
Dig Dig 60 TX	2500	40	2200	640
Dig Dig 65 TX	2600	40	2300	670
Dig Dig BA 75	2800	60	2400	690
Dig Dig BA 85	3100	70	2900	730
Dig Dig 70 TX	2700	60	2500	770
Dig Dig 75 TX	2800	60	2600	800
Dig Dig 80 TX	3000	70	2800	860
Dig Dig 85 TX	3100	70	2900	890
Dig Dig 90 TX	3500	100	4000	1300
Dig Dig 100 TX	4200	120	6000	1500




Mod. BA



Mod. TX

optionals



standard



tifermec[®]
 Oleodinamica

Via C. Marx, 2/A - 06012 CERBARA di Città di Castello - Perugia - Italy

Tel. +39 075 8510376

www.tifermec.com - e-mail: tifermec@tifermec.com

